

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures: Oil and Type "A" Gas																			
						Mill Test Pressure												GrB	X42	X46	X52	X56	X60	X65	X70
						GrB	X42	X46	X52	X56	X60	X65	X70												
2	2.375	0.109 *	2.157	2.64		2890	3000	3000	3000	3000	3000	3000	3000	3000	2310	2780	3040	3440	3700	3970	4300	4630			
2	2.375	0.125 *	2.125	3.01		3000	3000	3000	3000	3000	3000	3000	3000	3000	2650	3180	3490	3940	4240	4550	4930	5310			
2	2.375	0.154	2.067	3.66	Std 40	3000	3000	3000	3000	3000	3000	3000	3000	3000	3270	3920	4300	4860	5230	5600	6070	6540			
2	2.375	0.218	1.939	5.03	XS 80	3000	3000	3000	3000	3000	3000	3000	3000	3000	4630	5550	6080	6870	7400	7930	8590	9250			
2.5	2.875	0.109 *	2.657	3.22		2390	2870	3000	3000	3000	3000	3000	3000	3000	1910	2290	2510	2840	3060	3280	3550	3820			
2.5	2.875	0.125 *	2.625	3.67		2740	3000	3000	3000	3000	3000	3000	3000	3000	2190	2630	2880	3260	3510	3760	4070	4380			
2.5	2.875	0.203	2.469	5.8	Std 40	3000	3000	3000	3000	3000	3000	3000	3000	3000	3560	4270	4680	5290	5690	6100	6610	7120			
2.5	2.875	0.276	2.323	7.67	XS 80	3000	3000	3000	3000	3000	3000	3000	3000	3000	4840	5810	6360	7190	7740	8290	8990	9680			
3	3.5	0.109 *	3.282	3.95		1960	2350	2580	2910	3000	3000	3000	3000	3000	1570	1880	2060	2330	2510	2690	2910	3140			
3	3.5	0.125 *	3.25	4.51		2250	2700	2960	3000	3000	3000	3000	3000	3000	1800	2160	2370	2670	2880	3090	3340	3600			
3	3.5	0.141 *	3.218	5.06		2540	3000	3000	3000	3000	3000	3000	3000	3000	2030	2440	2670	3020	3250	3480	3770	4060			
3	3.5	0.156	3.188	5.58		2810	3000	3000	3000	3000	3000	3000	3000	3000	2250	2700	2950	3340	3590	3850	4170	4490			
3	3.5	0.188	3.124	6.66		3000	3000	3000	3000	3000	3000	3000	3000	3000	2710	3250	3560	4020	4330	4640	5030	5410			
3	3.5	0.216	3.068	7.58	Std 40	3000	3000	3000	3000	3000	3000	3000	3000	3000	3110	3730	4090	4620	4980	5330	5780	6220			
3	3.5	0.25	3	8.69		3000	3000	3000	3000	3000	3000	3000	3000	3000	3600	4320	4730	5350	5760	6170	6690	7200			
3	3.5	0.281	2.938	9.67		3000	3000	3000	3000	3000	3000	3000	3000	3000	4050	4860	5320	6010	6470	6940	7510	8090			
3	3.5	0.3	2.9	10.26	XS 80	3000	3000	3000	3000	3000	3000	3000	3000	3000	4320	5180	5680	6420	6910	7410	8020	8640			
3.5	4	0.109 *	3.782	4.53		1720	2060	2260	2550	2750	2940	3190	3430	1370	1650	1810	2040	2200	2350	2550	2750				
3.5	4	0.150 *	3.7	6.17		2360	2840	3110	3510	3780	4050	4390	4730	1890	2270	2480	2810	3020	3240	3510	3780				
3.5	4	0.156 *	3.688	6.41		2460	2950	3230	3650	3930	4210	4560	4910	1970	2360	2580	2920	3140	3370	3650	3930				

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures: Oil and Type "A" Gas																			
						Mill Test Pressure												GrB	X42	X46	X52	X56	X60	X65	X70
						GrB	X42	X46	X52	X56	X60	X65	X70												
3.5	4	0.188 *	3.624	7.66		2960	3550	3890	4400	4740	5080	5500	5920	2370	2840	3110	3520	3790	4060	4400	4740				
3.5	4	0.226	3.548	9.12	Std 40	3560	4270	4680	5290	5700	6100	6610	7120	2850	3420	3740	4230	4560	4880	5290	5700				
3.5	4	0.25	3.5	10.02		3940	4730	5180	5850	6300	6750	7310	7880	3150	3780	4140	4680	5040	5400	5850	6300				
3.5	4	0.281	3.438	11.17		4430	5310	5820	6580	7080	7590	8220	8850	3540	4250	4650	5260	5660	6070	6580	7080				
3.5	4	0.318	3.364	12.52	XS 80	5010	6010	6580	7440	8010	8590	9300	10020	4010	4810	5270	5950	6410	6870	7440	8010				
4	4.5	0.109 *	4.282	5.12		1530	1830	2010	2270	2440	2620	2830	3050	1220	1460	1600	1810	1950	2090	2270	2440				
4	4.5	0.125 *	4.25	5.85		1750	2100	2300	2600	2800	3000	3250	3500	1400	1680	1840	2080	2240	2400	2600	2800				
4	4.5	0.141 *	4.218	6.57		1970	2370	2590	2930	3160	3380	3670	3950	1580	1900	2080	2350	2530	2710	2930	3160				
4	4.5	0.156 *	4.188	7.24		2180	2620	2870	3240	3490	3740	4060	4370	1750	2100	2300	2600	2800	3000	3240	3490				
4	4.5	0.172 *	4.156	7.96		2410	2890	3160	3580	3850	4130	4470	4820	1930	2310	2530	2860	3080	3300	3580	3850				
4	4.5	0.188 *	4.124	8.67		2630	3160	3460	3910	4210	4510	4890	5260	2110	2530	2770	3130	3370	3610	3910	4210				
4	4.5	0.203 *	4.094	9.32		2840	3410	3740	4220	4550	4870	5280	5680	2270	2730	2990	3380	3640	3900	4220	4550				
4	4.5	0.219 *	4.062	10.02		3070	3680	4030	4560	4910	5260	5690	6130	2450	2940	3220	3640	3920	4200	4560	4910				
4	4.5	0.237	4.026	10.8	Std 40	3320	3980	4360	4930	5310	5690	6160	6640	2650	3190	3490	3940	4250	4550	4930	5310				
4	4.5	0.25	4	11.36		3500	4200	4600	5200	5600	6000	6500	7000	2800	3360	3680	4160	4480	4800	5200	5600				
4	4.5	0.281	3.938	12.67		3930	4720	5170	5840	6290	6740	7310	7870	3150	3780	4140	4680	5040	5400	5840	6290				
4	4.5	0.312	3.876	13.97		4370	5240	5740	6490	6990	7490	8110	8740	3490	4190	4590	5190	5590	5990	6490	6990				
4	4.5	0.337	3.826	15	XS 80	4720	5660	6200	7010	7550	8090	8760	9440	3770	4530	4960	5610	6040	6470	7010	7550				
5	5.563	0.125 *	5.313	7.27		1420	1700	1860	2100	2260	2430	2630	2830	1130	1360	1490	1680	1810	1940	2100	2260				
5	5.563	0.156 *	5.251	9.02		1770	2120	2320	2620	2830	3030	3280	3530	1410	1700	1860	2100	2260	2420	2620	2830				

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures:																			
						Oil and Type "A" Gas																			
						Mill Test Pressure																			
GrB	X42	X46	X52	X56	X60	X65	X70	GrB	X42	X46	X52	X56	X60	X65	X70	GrB	X42	X46	X52	X56	X60	X65	X70		
5	5.563	0.188 *	5.187	10.8		2130	2550	2800	3160	3410	3650	3950	4260	1700	2040	2240	2530	2730	2920	3160	3410				
5	5.563	0.219	5.125	12.51		2480	2980	3260	3680	3970	4250	4610	4960	1980	2380	2610	2950	3170	3400	3680	3970				
5	5.563	0.258	5.047	14.63	Std 40	2920	3510	3840	4340	4670	5010	5430	5840	2340	2800	3070	3470	3740	4010	4340	4670				
5	5.563	0.281	5.001	15.87		3180	3820	4180	4730	5090	5460	5910	6360	2550	3050	3350	3780	4070	4360	4730	5090				
5	5.563	0.312	4.939	17.51		3530	4240	4640	5250	5650	6060	6560	7070	2830	3390	3720	4200	4520	4850	5250	5650				
5	5.563	0.344	4.875	19.19		3900	4670	5120	5790	6230	6680	7230	7790	3120	3740	4100	4630	4990	5340	5790	6230				
5	5.563	0.375	4.813	20.8	XS 80	4250	5100	5580	6310	6790	7280	7890	8490	3400	4080	4470	5050	5440	5820	6310	6790				
6	6.625	0.109 *	6.407	7.59		1040	1240	1360	1540	1660	1780	1920	2070	830	1000	1090	1230	1330	1420	1540	1660				
6	6.625	0.125 *	6.375	8.69		1190	1430	1560	1770	1900	2040	2210	2380	950	1140	1250	1410	1520	1630	1770	1900				
6	6.625	0.141 *	6.343	9.77		1340	1610	1760	1990	2150	2300	2490	2680	1070	1290	1410	1590	1720	1840	1990	2150				
6	6.625	0.156 *	6.313	10.79		1480	1780	1950	2200	2370	2540	2760	2970	1190	1420	1560	1760	1900	2030	2200	2370				
6	6.625	0.172 *	6.281	11.87		1640	1960	2150	2430	2620	2800	3040	3270	1310	1570	1720	1940	2090	2240	2430	2620				
6	6.625	0.188 *	6.249	12.94		1790	2150	2350	2660	2860	3060	3320	3580	1430	1720	1880	2120	2290	2450	2660	2860				
6	6.625	0.203 *	6.219	13.94		1930	2320	2540	2870	3090	3310	3590	3860	1540	1850	2030	2290	2470	2650	2870	3090				
6	6.625	0.219 *	6.187	15		2080	2500	2740	3090	3330	3570	3870	4170	1670	2000	2190	2480	2670	2860	3090	3330				
6	6.625	0.25	6.125	17.04		2380	2850	3120	3530	3800	4080	4420	4750	1900	2280	2500	2830	3040	3260	3530	3800				
6	6.625	0.28	6.065	18.99	Std 40	2660	3200	3500	3960	4260	4560	4940	5330	2130	2560	2800	3160	3410	3650	3960	4260				
6	6.625	0.312	6.001	21.06		2970	3560	3900	4410	4750	5090	5510	5930	2370	2850	3120	3530	3800	4070	4410	4750				
6	6.625	0.344	5.937	23.1		3270	3930	4300	4860	5230	5610	6080	6540	2620	3140	3440	3890	4190	4490	4860	5230				
6	6.625	0.375	5.875	25.05		3570	4280	4690	5300	5710	6110	6620	7130	2850	3420	3750	4240	4560	4890	5300	5710				

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures: Oil and Type "A" Gas																			
						Mill Test Pressure												GrB	X42	X46	X52	X56	X60	X65	X70
						GrB	X42	X46	X52	X56	X60	X65	X70												
6	6.625	0.432	5.761	28.6	XS 80	4110	4930	5400	6100	6570	7040	7630	8220	3290	3940	4320	4880	5260	5630	6100	6570				
8	8.625	0.156 *	8.313	14.12		1140	1370	1500	1690	1820	1950	2120	2280	910	1090	1200	1350	1460	1560	1690	1820				
8	8.625	0.188 *	8.249	16.96		1370	1650	1800	2040	2200	2350	2550	2750	1100	1320	1440	1630	1760	1880	2040	2200				
8	8.625	0.203 *	8.219	18.28		1480	1780	1950	2200	2370	2540	2750	2970	1190	1420	1560	1760	1900	2030	2200	2370				
8	8.625	0.219 *	8.187	19.68		1600	1920	2100	2380	2560	2740	2970	3200	1280	1540	1680	1900	2050	2190	2380	2560				
8	8.625	0.25	8.125	22.38	20	1830	2190	2400	2710	2920	3130	3390	3650	1460	1750	1920	2170	2340	2500	2710	2920				
8	8.625	0.277	8.071	24.72	30	2020	2430	2660	3010	3240	3470	3760	4050	1620	1940	2130	2400	2590	2770	3010	3240				
8	8.625	0.312	8.001	27.73		2280	2730	3000	3390	3650	3910	4230	4560	1820	2190	2400	2710	2920	3130	3390	3650				
8	8.625	0.322	7.981	28.58	Std 40	2350	2820	3090	3490	3760	4030	4370	4700	1880	2260	2470	2800	3010	3230	3490	3760				
8	8.625	0.344	7.937	30.45		2510	3020	3300	3730	4020	4310	4670	5030	2010	2410	2640	2990	3220	3450	3730	4020				
8	8.625	0.375	7.875	33.07		2740	3290	3600	4070	4380	4700	5090	5480	2190	2630	2880	3260	3510	3760	4070	4380				
8	8.625	0.406	7.813	35.67		2970	3560	3900	4410	4740	5080	5510	5930	2370	2850	3120	3520	3800	4070	4410	4740				
8	8.625	0.438	7.749	38.33		3200	3840	4200	4750	5120	5480	5940	6400	2560	3070	3360	3800	4100	4390	4750	5120				
8	8.625	0.5	7.625	43.43	XS 80	3650	4380	4800	5430	5840	6260	6780	7300	2920	3510	3840	4340	4670	5010	5430	5840				
10	10.75	0.156 *	10.438	17.67		910	1100	1200	1360	1460	1570	1700	1830	730	880	960	1090	1170	1250	1360	1460				
10	10.75	0.188 *	10.374	21.23		1100	1320	1450	1640	1760	1890	2050	2200	880	1060	1160	1310	1410	1510	1640	1760				
10	10.75	0.203 *	10.344	22.89		1190	1430	1560	1770	1900	2040	2210	2380	950	1140	1250	1410	1520	1630	1770	1900				
10	10.75	0.219	10.312	24.65		1280	1540	1690	1910	2050	2200	2380	2570	1030	1230	1350	1530	1640	1760	1910	2050				
10	10.75	0.25	10.25	28.06	20	1470	1760	1930	2180	2340	2510	2720	2930	1170	1410	1540	1740	1880	2010	2180	2340				
10	10.75	0.279	10.192	31.23		1640	1960	2150	2430	2620	2800	3040	3270	1310	1570	1720	1940	2090	2240	2430	2620				

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Mill Test Pressure								Design Pressures:							
														Oil and Type "A" Gas							
						GrB	X42	X46	X52	X56	X60	X65	X70	GrB	X42	X46	X52	X56	X60	X65	X70
10	10.75	0.307	10.136	34.27	30	1800	2160	2360	2670	2880	3080	3340	3600	1440	1730	1890	2140	2300	2470	2670	2880
10	10.75	0.312	10.126	34.81		1830	2190	2400	2720	2930	3130	3400	3660	1460	1760	1920	2170	2340	2510	2720	2930
10	10.75	0.344	10.062	38.27		2020	2420	2650	3000	3230	3460	3740	4030	1610	1940	2120	2400	2580	2760	3000	3230
10	10.75	0.365	10.02	40.52	Std 40	2140	2570	2810	3180	3420	3670	3970	4280	1710	2050	2250	2540	2740	2930	3180	3420
10	10.75	0.4	9.95	44.26		2340	2810	3080	3480	3750	4020	4350	4690	1880	2250	2460	2790	3000	3210	3480	3750
10	10.75	0.438	9.874	48.28		2570	3080	3370	3810	4110	4400	4770	5130	2050	2460	2700	3050	3290	3520	3810	4110
10	10.75	0.5	9.75	54.79	XS 60	2930	3520	3850	4350	4690	5020	5440	5860	2340	2810	3080	3480	3750	4020	4350	4690
10	10.75	0.562	9.626	61.21		3290	3950	4330	4890	5270	5650	6120	6590	2630	3160	3460	3910	4220	4520	4890	5270
12	12.75	0.172 *	12.406	23.13		850	1020	1120	1260	1360	1460	1580	1700	680	820	890	1010	1090	1170	1260	1360
12	12.75	0.188 *	12.374	25.25		930	1110	1220	1380	1490	1590	1730	1860	740	890	980	1100	1190	1270	1380	1490
12	12.75	0.203 *	12.344	27.23		1000	1200	1320	1490	1600	1720	1860	2010	800	960	1050	1190	1280	1380	1490	1600
12	12.75	0.219 *	12.312	29.34		1080	1300	1420	1610	1730	1860	2010	2160	870	1040	1140	1290	1390	1480	1610	1730
12	12.75	0.25	12.25	33.41	20	1240	1480	1620	1840	1980	2120	2290	2470	990	1190	1300	1470	1580	1690	1840	1980
12	12.75	0.281	12.188	37.46		1390	1670	1820	2060	2220	2380	2580	2780	1110	1330	1460	1650	1780	1900	2060	2220
12	12.75	0.312	12.126	41.48		1540	1850	2030	2290	2470	2640	2860	3080	1230	1480	1620	1830	1970	2110	2290	2470
12	12.75	0.33	12.09	43.81	30	1630	1960	2140	2420	2610	2800	3030	3260	1300	1570	1710	1940	2090	2240	2420	2610
12	12.75	0.344	12.062	45.62		1700	2040	2230	2530	2720	2910	3160	3400	1360	1630	1790	2020	2180	2330	2530	2720
12	12.75	0.375	12	49.61	Std	1850	2220	2440	2750	2960	3180	3440	3710	1480	1780	1950	2200	2370	2540	2750	2960
12	12.75	0.406	11.938	53.57	40	2010	2410	2640	2980	3210	3440	3730	4010	1600	1930	2110	2380	2570	2750	2980	3210
12	12.75	0.438	11.874	57.65		2160	2600	2840	3220	3460	3710	4020	4330	1730	2080	2280	2570	2770	2970	3220	3460

# Line Pipe



## LINE PIPE TABLE

[www.tarponpipe.com](http://www.tarponpipe.com)

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures: Oil and Type "A" Gas																			
						Mill Test Pressure												GrB	X42	X46	X52	X56	X60	X65	X70
						GrB	X42	X46	X52	X56	X60	X65	X70												
12	12.75	0.5	11.75	65.48	XS	2470	2960	3250	3670	3950	4240	4590	4940	1980	2370	2600	2940	3160	3390	3670	3950				
12	12.75	0.562	11.626	73.22	60	2780	3330	3650	4130	4440	4760	5160	5550	2220	2670	2920	3300	3550	3810	4130	4440				
14	14	0.188 *	13.624	27.76		850	1020	1110	1260	1350	1450	1570	1690	680	810	890	1010	1080	1160	1260	1350				
14	14	0.203 *	13.594	29.94		910	1100	1200	1360	1460	1570	1700	1830	730	880	960	1090	1170	1250	1360	1460				
14	14	0.210 *	13.58	30.96		950	1130	1240	1400	1510	1620	1760	1890	760	910	990	1120	1210	1300	1400	1510				
14	14	0.219 *	13.562	32.26		990	1180	1300	1460	1580	1690	1830	1970	790	950	1040	1170	1260	1350	1460	1580				
14	14	0.25	13.5	36.75		1130	1350	1480	1670	1800	1930	2090	2250	900	1080	1180	1340	1440	1540	1670	1800				
14	14	0.281	13.438	41.21		1260	1520	1660	1880	2020	2170	2350	2530	1010	1210	1330	1500	1620	1730	1880	2020				
14	14	0.312	13.376	45.65	20	1400	1680	1850	2090	2250	2410	2610	2810	1120	1350	1480	1670	1800	1930	2090	2250				
14	14	0.344	13.312	50.22		1550	1860	2030	2300	2480	2650	2870	3100	1240	1490	1630	1840	1980	2120	2300	2480				
14	14	0.375	13.25	54.62	Std 30	1690	2030	2220	2510	2700	2890	3130	3380	1350	1620	1770	2010	2160	2310	2510	2700				
14	14	0.406	13.188	59		1830	2190	2400	2710	2920	3130	3390	3650	1460	1750	1920	2170	2340	2510	2710	2920				
14	14	0.438	13.124	63.5	40	1970	2370	2590	2930	3150	3380	3660	3940	1580	1890	2070	2340	2520	2700	2930	3150				
14	14	0.469	13.062	67.84		2110	2530	2770	3140	3380	3620	3920	4220	1690	2030	2220	2510	2700	2890	3140	3380				
14	14	0.5	13	72.16	XS	2250	2700	2960	3340	3600	3860	4180	4500	1800	2160	2370	2670	2880	3090	3340	3600				
14	14	0.562	12.876	80.73		2530	3030	3320	3760	4050	4340	4700	5060	2020	2430	2660	3010	3240	3470	3760	4050				
16	16	0.188 *	15.624	31.78		740	890	970	1100	1180	1270	1370	1480	590	710	780	880	950	1020	1100	1180				
16	16	0.203 *	15.594	34.28		800	960	1050	1190	1280	1370	1480	1600	640	770	840	950	1020	1100	1190	1280				
16	16	0.219 *	15.562	36.95		860	1030	1130	1280	1380	1480	1600	1720	690	830	910	1020	1100	1180	1280	1380				
16	16	0.25	15.5	42.09		980	1180	1290	1460	1580	1690	1830	1970	790	950	1040	1170	1260	1350	1460	1580				

# Line Pipe



[www.tarponpipe.com](http://www.tarponpipe.com)

## LINE PIPE TABLE

Nom Pipe Size	O.D. (in)	Wall (in)	I.D. (in)	Nom Wgt T & C lbs / ft	Class Sched	Design Pressures: Oil and Type "A" Gas																
						Mill Test Pressure							GrB	X42	X46	X52	X56	X60	X65	X70		
						GrB	X42	X46	X52	X56	X60	X65									X70	
16	16	0.281	15.438	47.22		1110	1330	1450	1640	1770	1900	2050	2210	890	1060	1160	1320	1420	1520	1640	1770	
16	16	0.312	15.376	52.32	20	1230	1470	1610	1830	1970	2110	2280	2460	980	1180	1290	1460	1570	1680	1830	1970	
16	16	0.344	15.312	57.57		1350	1630	1780	2010	2170	2320	2520	2710	1080	1300	1420	1610	1730	1860	2010	2170	
16	16	0.375	15.25	62.64	Std 30	1480	1770	1940	2190	2360	2530	2740	2950	1180	1420	1550	1760	1890	2030	2190	2360	
16	16	0.438	15.124	72.86		1720	2070	2270	2560	2760	2960	3200	3450	1380	1660	1810	2050	2210	2370	2560	2760	
16	16	0.5	15	82.85	XS 40	1970	2360	2590	2930	3150	3380	3660	3940	1580	1890	2070	2340	2520	2700	2930	3150	
16	16	0.562	14.876	92.75		2210	2660	2910	3290	3540	3790	4110	4430	1770	2120	2330	2630	2830	3030	3290	3540	
16	16	0.625	14.75	102.72		2460	2950	3230	3660	3940	4220	4570	4920	1970	2360	2590	2930	3150	3380	3660	3940	

|



|

|

|

|

|

|