

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
2 3/8"	4.60	J-55	0.190	1.901	2.539	1.995	3.653	1.331	72,100	10,400
2 3/8"	4.60	L-80	0.190	1.901	2.539	1.995	3.653	1.331	101,900	15,200
2 3/8"	4.60	T-95	0.190	1.901	2.539	1.995	3.653	1.331	124,500	18,000
2 3/8"	4.60	P110	0.190	1.901	2.539	1.995	3.653	1.331	144,200	20,900
2 3/8"	4.60	Q125	0.190	1.901	2.539	1.995	3.653	1.331	163,900	23,700
2 3/8"	5.30	J-55	0.218	1.845	2.513	1.939	3.602	1.485	81,600	10,200
2 3/8"	5.30	L-80	0.218	1.845	2.513	1.939	3.602	1.485	118,800	14,900
2 3/8"	5.30	T-95	0.218	1.845	2.513	1.939	3.602	1.485	141,100	17,700
2 3/8"	5.30	P110	0.218	1.845	2.513	1.939	3.602	1.485	163,300	20,500

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
2 3/8"	5.30	Q125	0.218	1.845	2.513	1.939	3.602	1.485	185,600	23,300
2 3/8"	5.80	J-55	0.254	1.773	2.547	1.867	3.612	1.702	93,600	10,700
2 3/8"	5.80	L-80	0.254	1.773	2.547	1.867	3.612	1.702	136,100	15,600
2 3/8"	5.80	T-95	0.254	1.773	2.547	1.867	3.612	1.702	161,600	18,500
2 3/8"	5.80	P110	0.254	1.773	2.547	1.867	3.612	1.702	187,200	21,500
2 3/8"	5.80	Q125	0.254	1.773	2.547	1.867	3.612	1.702	212,700	24,400

2 7/8"	6.40	J-55	0.217	2.347	3.071	2.441	3.352	1.822	100,200	10,400
2 7/8"	6.40	L-80	0.217	2.347	3.071	2.441	3.352	1.822	145,700	15,100

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
2 7/8"	6.40	T-95	0.217	2.347	3.071	2.441	3.352	1.822	173,000	18,000
2 7/8"	6.40	P110	0.217	2.347	3.071	2.441	3.352	1.822	200,400	20,800
2 7/8"	6.40	Q125	0.217	2.347	3.071	2.441	3.352	1.822	227,700	23,700
2 7/8"	7.80	J-55	0.276	2.198	3.075	2.323	3.681	2.266	124,600	10,600
2 7/8"	7.80	L-80	0.276	2.198	3.075	2.323	3.681	2.266	181,200	15,400
2 7/8"	7.80	T-95	0.276	2.198	3.075	2.323	3.681	2.266	215,200	18,300
2 7/8"	7.80	P110	0.276	2.198	3.075	2.323	3.681	2.266	249,200	21,300
2 7/8"	7.80	Q125	0.276	2.198	3.075	2.323	3.681	2.266	283,200	24,200
2 7/8"	8.60	J-55	0.308	2.229	3.079	2.259	3.992	2.498	137,300	10,600

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
2 7/8"	8.60	L-80	0.308	2.229	3.079	2.259	3.992	2.498	199,800	15,400
2 7/8"	8.60	T-95	0.308	2.229	3.079	2.259	3.992	2.498	237,200	18,300
2 7/8"	8.60	P110	0.308	2.229	3.079	2.259	3.992	2.498	274,700	24,200
2 7/8"	8.60	Q125	0.308	2.229	3.079	2.259	3.992	2.498	312,200	24,200
2 7/8"	9.35	J-55	0.340	2.101	3.083	2.795	4.313	2.723	149,700	10,600
2 7/8"	9.35	L-80	0.340	2.101	3.083	2.795	4.313	2.723	217,800	15,500
2 7/8"	9.35	T-95	0.340	2.101	3.083	2.795	4.313	2.723	258,600	18,400
2 7/8"	9.35	P110	0.340	2.101	3.083	2.795	4.313	2.723	299,500	21,300
2 7/8"	9.35	Q125	0.340	2.101	3.083	2.795	4.313	2.723	340,300	24,200

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.

3 1/2"	9.20	J-55	0.254	2.867	3.726	2.992	3.892	2.604	143,200	10,300
3 1/2"	9.20	L-80	0.254	2.867	3.726	2.992	3.892	2.604	208,300	15,000
3 1/2"	9.20	T-95	0.254	2.867	3.726	2.992	3.892	2.604	247,300	17,900
3 1/2"	9.20	P110	0.254	2.867	3.726	2.992	3.892	2.604	286,400	20,700
3 1/2"	9.20	Q125	0.254	2.867	3.726	2.992	3.892	2.604	325,500	23,500
3 1/2"	10.30	J-55	0.289	2.797	3.728	2.922	3.862	2.931	161,200	10,400
3 1/2"	10.30	L-80	0.289	2.797	3.728	2.922	3.862	2.931	231,400	15,100
3 1/2"	10.30	T-95	0.289	2.797	3.728	2.922	3.862	2.931	278,400	18,000

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
3 1/2"	10.30	P110	0.289	2.797	3.728	2.922	3.862	2.931	322,400	20,800
3 1/2"	10.30	Q125	0.289	2.797	3.728	2.922	3.862	2.931	386,400	23,700
3 1/2"	12.70	J-55	0.375	2.625	3.730	2.750	4.675	3.702	203,600	10,600
3 1/2"	12.70	L-80	0.375	2.625	3.730	2.750	4.675	3.702	206,100	15,500
3 1/2"	12.70	T-95	0.375	2.625	3.730	2.750	4.675	3.702	351,700	18,400
3 1/2"	12.70	P110	0.375	2.625	3.730	2.750	4.675	3.702	407,200	21,300
3 1/2"	12.70	Q125	0.375	2.625	3.730	2.750	4.675	3.702	432,700	24,200
3 1/2"	15.50	J-55	0.476	2.426	3.730	2.548	5.704	4.548	250,100	10,700
3 1/2"	15.50	L-80	0.476	2.426	3.730	2.548	5.704	4.548	363,800	15,600

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
3 1/2"	15.50	T-95	0.476	2.426	3.730	2.548	5.704	4.548	432,000	18,500
3 1/2"	15.50	P110	0.476	2.426	3.730	2.548	5.704	4.548	500,300	21,500
3 1/2"	15.50	Q125	0.476	2.426	3.730	2.548	5.704	4.548	568,500	24,400

4"	10.70	J-55	0.262	3.351	1.230	3.176	1.017	3.093	170,100	10,500
4"	10.70	L-80	0.262	3.351	1.230	3.176	1.017	3.093	247,400	15,400
4"	10.70	T-95	0.262	3.351	1.230	3.176	1.017	3.093	293,800	18,300
4"	10.70	P110	0.262	3.351	1.230	3.176	1.017	3.093	310,200	21,100
4"	10.70	Q125	0.262	3.351	1.230	3.176	1.017	3.093	386,600	24,000

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
4"	11.60	J-55	0.286	3.303	4.234	3.428	3.870	3.355	184,500	10,600
4"	11.60	L-80	0.286	3.303	4.234	3.428	3.870	3.355	208,300	15,400
4"	11.60	T-95	0.286	3.303	4.234	3.428	3.870	3.355	318,700	18,300
4"	11.60	P110	0.286	3.303	4.234	3.428	3.870	3.355	360,000	21,200
4"	11.60	Q125	0.286	3.303	4.234	3.428	3.870	3.355	419,300	24,100
4"	13.20	J-55	0.330	3.205	4.236	3.340	4.304	3.826	210,400	10,600
4"	13.20	L-80	0.330	3.205	4.236	3.340	4.304	3.826	306,000	15,400
4"	13.20	T-95	0.330	3.205	4.236	3.340	4.304	3.826	363,400	18,300
4"	13.20	P110	0.330	3.205	4.236	3.340	4.304	3.826	420,800	21,200



# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
4"	13.20	Q125	0.330	3.205	4.236	3.340	4.304	3.826	478,100	24,100
4"	16.10	J-55	0.415	3.045	4.238	3.170	5.159	4.700	258,500	10,700
4"	16.10	L-80	0.415	3.045	4.238	3.170	5.159	4.700	376,000	15,500
4"	16.10	T-95	0.415	3.045	4.238	3.170	5.159	4.700	44,850	18,400
4"	16.10	P110	0.415	3.045	4.238	3.170	5.159	4.700	517,000	21,400
4"	16.10	Q125	0.415	3.045	4.238	3.170	5.159	4.700	587,500	24,300

4 1/2"	11.60	J-55	0.250	3.875	4.726	4.000	4.493	3.356	184,500	10,600
4 1/2"	11.60	L-80	0.250	3.875	4.726	4.000	4.493	3.356	268,400	15,400

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
4 1/2"	11.60	T-95	0.250	3.875	4.726	4.000	4.493	3.356	318,700	18,300
4 1/2"	11.60	P110	0.250	3.875	4.726	4.000	4.493	3.356	369,100	21,200
4 1/2"	11.60	Q125	0.250	3.875	4.726	4.000	4.493	3.356	419,400	24,100
4 1/2"	12.75	J-55	0.271	3.833	4.735	3.958	3.851	3.620	199,000	10,400
4 1/2"	12.75	L-80	0.271	3.833	4.735	3.958	3.851	3.620	289,500	15,100
4 1/2"	12.75	T-95	0.271	3.833	4.735	3.958	3.851	3.620	343,800	17,900
4 1/2"	12.75	P110	0.271	3.833	4.735	3.958	3.851	3.620	398,100	20,800
4 1/2"	12.75	Q125	0.271	3.833	4.735	3.958	3.851	3.620	452,400	23,500
4 1/2"	13.50	J-55	0.290	3.795	4.739	3.920	4.042	3.856	212,000	10,400

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
4 1/2"	13.50	L-80	0.290	3.795	4.739	3.920	4.042	3.856	308,400	15,200
4 1/2"	13.50	T-95	0.290	3.795	4.739	3.920	4.042	3.856	366,300	1,800
4 1/2"	13.50	P110	0.290	3.795	4.739	3.920	4.042	3.856	424,100	20,900
4 1/2"	13.50	Q125	0.290	3.795	4.739	3.920	4.042	3.856	482,000	23,800
4 1/2"	15.10	J-55	0.337	3.701	4.747	3.826	4.506	4.431	243,700	10,700
4 1/2"	15.10	L-80	0.337	3.701	4.747	3.826	4.506	4.431	354,500	15,600
4 1/2"	15.10	T-95	0.337	3.701	4.747	3.826	4.506	4.431	420,900	18,500
4 1/2"	15.10	P110	0.337	3.701	4.747	3.826	4.506	4.431	487,410	21,500
4 1/2"	15.10	Q125	0.337	3.701	4.747	3.826	4.506	4.431	553,900	24,400

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
4 1/2"	17.00	J-55	0.380	3.615	4.753	3.740	4.858	4.945	271,900	10,600
4 1/2"	17.00	L-80	0.380	3.615	4.753	3.740	4.858	4.945	395,600	15,500
4 1/2"	17.00	T-95	0.380	3.615	4.753	3.740	4.858	4.945	460,800	18,400
4 1/2"	17.00	P110	0.380	3.615	4.753	3.740	4.858	4.945	543,900	21,300
4 1/2"	17.00	Q125	0.380	3.615	4.753	3.740	4.858	4.945	348,100	24,200
5"	15.00	J-55	0.296	4.283	5.246	4.408	4.035	4.398	241,800	10,700
5"	15.00	L-80	0.296	4.283	5.246	4.408	4.035	4.398	351,800	15,600
5"	15.00	T-95	0.296	4.283	5.246	4.408	4.035	4.398	417,700	18,500

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5"	15.00	P110	0.296	4.283	5.246	4.408	4.035	4.398	483,700	21,400
5"	15.00	Q125	0.296	4.283	5.246	4.408	4.035	4.398	549,600	24,400
5"	18.00	J-55	0.362	4.151	5.257	4.276	4.660	5.303	291,600	10,800
5"	18.00	L-80	0.362	4.151	5.257	4.276	4.660	5.303	424,200	15,700
5"	18.00	T-95	0.362	4.151	5.257	4.276	4.660	5.303	503,700	17,600
5"	18.00	P110	0.362	4.151	5.257	4.276	4.660	5.303	583,300	21,600
5"	18.00	Q125	0.362	4.151	5.257	4.276	4.660	5.303	662,800	24,500
5"	20.30	J-55	0.480	4.059	5.259	4.184	5.119	5.918	325,400	10,600
5"	20.30	L-80	0.480	4.059	5.259	4.184	5.119	5.918	473,400	15,500

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5"	20.30	T-95	0.480	4.059	5.259	4.184	5.119	5.918	532,200	18,400
5"	20.30	P110	0.480	4.059	5.259	4.184	5.119	5.918	650,900	21,300
5"	20.30	Q125	0.480	4.059	5.259	4.184	5.119	5.918	730,700	24,200
5"	20.80	J-55	0.422	4.031	5.259	4.156	5.244	6.102	335,600	10,700
5"	20.80	L-80	0.422	4.031	5.259	4.156	5.244	6.102	488,100	15,600
5"	20.80	T-95	0.422	4.031	5.259	4.156	5.244	6.102	579,700	18,500
5"	20.80	P110	0.422	4.031	5.259	4.156	5.244	6.102	671,200	21,500
5"	20.80	Q125	0.422	4.031	5.259	4.156	5.244	6.102	762,800	24,400
5"	21.40	J-55	0.437	4.001	5.259	4.126	5.377	6.299	346,400	10,700

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5"	21.40	L-80	0.437	4.001	5.259	4.126	5.377	6.299	503,900	15,600
5"	21.40	T-95	0.437	4.001	5.259	4.126	5.377	6.299	598,300	18,600
5"	21.40	P110	0.437	4.001	5.259	4.126	5.377	6.299	692,800	21,500
5"	21.40	Q125	0.437	4.001	5.259	4.126	5.377	6.299	787,300	24,500
5"	23.20	J-55	0.478	3.919	5.265	4.044	5.764	6.828	375,500	10,700
5"	23.20	L-80	0.478	3.919	5.265	4.044	5.764	6.828	546,200	15,600
5"	23.20	T-95	0.478	3.919	5.265	4.044	5.764	6.828	648,600	18,600
5"	23.20	P110	0.478	3.919	5.265	4.044	5.764	6.828	751,000	21,500
5"	23.20	Q125	0.478	3.919	5.265	4.044	5.764	6.828	853,500	24,500

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5"	24.10	J-55	0.500	3.875	5.269	4.000	5.943	7.108	390,900	10,800
5"	24.10	L-80	0.500	3.875	5.269	4.000	5.943	7.108	568,600	15,700
5"	24.10	T-95	0.500	3.875	5.269	4.000	5.943	7.108	675,200	18,600
5"	24.10	P110	0.500	3.875	5.269	4.000	5.943	7.108	781,800	21,600
5"	24.10	Q125	0.500	3.875	5.269	4.000	5.943	7.108	888,400	24,500

5 1/2"	15.50	J-55	0.275	4.825	5.746	4.950	4.401	4.538	249,500	10,700
5 1/2"	15.50	L-80	0.275	4.825	5.746	4.950	4.401	4.538	363,000	15,600
5 1/2"	15.50	T-95	0.275	4.825	5.746	4.950	4.401	4.538	431,000	18,500



# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5 1/2"	15.50	P110	0.275	4.825	5.746	4.950	4.401	4.538	499,100	21,400
5 1/2"	15.50	Q125	0.275	4.825	5.746	4.950	4.401	4.538	567,200	24,300
5 1/2"	17.00	J-55	0.304	4.767	5.754	4.892	4.264	4.989	274,300	10,700
5 1/2"	17.00	L-80	0.304	4.767	5.754	4.892	4.264	4.989	399,000	15,600
5 1/2"	17.00	T-95	0.304	4.767	5.754	4.892	4.264	4.989	473,900	18,500
5 1/2"	17.00	P110	0.304	4.767	5.754	4.892	4.264	4.989	518,700	21,500
5 1/2"	17.00	Q125	0.304	4.767	5.754	4.892	4.264	4.989	628,500	24,400
5 1/2"	20.00	J-55	0.361	4.653	5.768	4.778	4.799	5.859	322,200	10,700
5 1/2"	20.00	L-80	0.361	4.653	5.768	4.778	4.799	5.859	468,700	15,600

# ULT-FX Summary



## ULT-FX SUMMARY

[www.tarponpipe.com](http://www.tarponpipe.com)

PIPE BODY										
NOMINAL O.D.	NOMINAL WEIGHT	GRADE	WALL THICKNESS	DRIFT DIAMETER	DSN O.D.	DSN I.D.	MAKE-UP LOSS	AVERAGE PBA	YIELD LOAD	REFERENCE DEPTH
in.	lbs.	GRADE	in.	in.	in.	in.	in.	?	ft./lbs.	ft.
5 1/2"	20.00	T-95	0.361	4.653	5.768	4.778	4.799	5.859	556,600	18,500
5 1/2"	20.00	P110	0.361	4.653	5.768	4.778	4.799	5.859	644,500	21,400
5 1/2"	20.00	Q125	0.361	4.653	5.768	4.778	4.799	5.859	732,400	24,400
5 1/2"	23.00	J-55	0.415	4.545	5.774	4.670	5.301	6.665	366,600	10,600
5 1/2"	23.00	L-80	0.415	4.545	5.774	4.670	5.301	6.665	533,200	15,400
5 1/2"	23.00	T-95	0.415	4.545	5.774	4.670	5.301	6.665	633,200	18,300
5 1/2"	23.00	P110	0.415	4.545	5.774	4.670	5.301	6.665	733,200	21,200
5 1/2"	23.00	Q125	0.415	4.545	5.774	4.670	5.301	6.665	833,100	24,100